




protect. teach. love.®

PFD00-15426

Digital Two Meal Feeder



Radio Systems Corporation
10427 PetSafe Way, Knoxville, TN 37932
1-800-732-2677
www.petsafe.net

©2016 Radio Systems Corporation

400-2050

Important Safety Information

Explanation of Attention Words and Symbols used in this guide

⚠ WARNING WARNING indicates a hazardous situation which, if not avoided, could result in death or serious injury.

⚠ CAUTION CAUTION, used without the safety alert symbol, indicates a hazardous situation which, if not avoided, could result in harm to your pet.




⚠ WARNING


When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock and/or injury to persons, including the following:

- Do NOT immerse control panel in water. Base unit should NOT be submerged in water at any time, as this may damage electronic components.
- Do NOT place anything on top of the feeder. The unit starts automatically. Keep clear.
- Dispose of all packaging materials properly. Some items may be packed in polybags; these bags could cause suffocation; keep away from children and pets.
- Do NOT allow small children to play with, in or around feeder.
- Do NOT use this feeder with puppies, kittens, dogs or cats with any physical disability.
- Do NOT use this feeder with puppies or kittens not able to reach the food trays.
- For indoor use only. Check operation frequently to be sure the feeder is dispensing properly.
- Feeder should be placed on a level surface.
- Intended for use with dogs or cats only.
- Before leaving for extended time, always replace batteries with new batteries.
- Do NOT place any foreign object in the feeder.
- Do NOT disassemble the feeder other than food trays and battery cover.

⚠ CAUTION

Modification or changes to this equipment not expressly approved by Radio Systems® Corporation may void the user's authority to operate the equipment.

BUTTON	FUNCTION
	Adds hours
	Subtracts hours
	Opens both lids



Setup

1. Insert four (4) AA cell alkaline batteries into the battery compartment located on the bottom of the feeder.
2. Lift the PetSafe® cover on the top of the feeder.
3. Open both food tray lids by pressing down on the center of the PetSafe button for 5 seconds.
4. Fill each tray with dry pet food and manually close each lid. Do not overfill.

Programming Feedings

1. The arrows on the LCD display indicate the lid (left or right).
2. Lids can be set to open from 1 to 99 hours from time of programming (minutes cannot be programmed). Example: Programming at 10 AM, if the first lid is set to 4H and the second lid set to 12H, the first will open at 2 PM and the second will open at 10 PM.
3. Use the left or right set of + and - buttons, to set how many hours from now each lid should open. The system will automatically save your selections and begin the countdown. Once countdown begins, the LCD display will indicate how many hours (H) and/or minutes (M) until meal time.

Cleaning Tips

- Trays are top-shelf dishwasher safe. Remove both trays from the feeder before placing in the dishwasher.
- Wipe feeder with a non-abrasive cloth.

Note: For dry food use only.

DO NOT use wet, canned or moist food.

Compliance

FCC - USA

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

DO NOT PRINT THIS PAGE

Radio Systems [®] CORPORATION The world leader in pet training products	RSC Part #: 400-2050	
	Description: GUIDE QUICK START PFD00-15426	
Paper: 100gsm Wood Free Paper Color: White Printing Colors: Black Finishing: 2 Sided, folds to 5.5" x 8.5", Bulk Pack	Created by: NG	Updated by: N/A
	Initial Creation Date: 07/28/2016	
	Approved by: J THOMPSON	
	Date Approved: 7/28/2016	
	Program used: INDESIGN CC	
	Revision: 000 ECO: INITIAL RELEASE	
	Revision Description: RELEASE TO PRODUCTION	
	Revision Date: N/A	